

PRODUCT CATALOG

2026

Trusted solutions for residential and commercial wastewater systems

Alarms & Control Panels
Drainage & Basin Solutions

Pumps & Treatment Systems
Precast & Wastewater Products

And much more...



503-663-0618




www.repcosalesagency.com



sales@repcosalesagency.com

SUMP, EFFLUENT, AND GRINDER FAMILY CURVES



BATTERY BACKUP SYSTEM

Part Number	Description	Weight
BBUPW	Simplex package, 7.5 amps with FLA Switch Includes battery box, 36" P/N cables, check valve, and 1) CPS3-11 pump Battery not included	40 lbs.
BBUP900DW	Duplex package, 7.5 amps with FLA Switch Includes battery box, 36" P/N cables, and 2) CPS3-11 pumps Battery not included	66 lbs.



DROP IN REPLACEMENT FOR E-ONE

Part Number	HP	Volt	PH	Type	Weight
MVPS-RE1	1 1/2	230	1	Grinder	100lbs

*Call for other sizes

SUMP, EFFLUENT, AND GRINDER PUMPS

Part Number	HP	Volt	PH	Switch	Cord	Type	Weight
CPS3-11	1/3	115	1	Manual	10	Sump/Effluent	25lbs
CPS3A-11	1/3	115	1	Auto	10	Sump/Effluent	26lbs
CPS3V-11	1/3	115	1	Vertical	10	Sump/Effluent	27lbs
CPS33-11	1/3	115	1	Manual	10	Sump/Effluent	23lbs
CPS33A-11	1/3	115	1	Auto	10	Sump/Effluent	25lbs
CPS33V-11	1/3	115	1	Auto	10	Sump/Effluent	25lbs
CPS5-12	1/2	115	1	Manual	20	Sump/Effluent	40lbs
CPES5-11	1/2	115	1	Manual	10	Effluent	24lbs
CPES5A-11	1/2	115	1	Auto	10	Effluent	25lbs
CPE4-12	4/10	115	1	Manual	20	Effluent	37lbs
CPE4A-12	4/10	115	1	Auto	20	Effluent	39lbs
CPE4-22	4/10	230	1	Manual	20	Effluent	37lbs
CPE5-12	1/2	115	1	Manual	20	Effluent	37lbs
CPE5A-12	1/2	115	1	Auto	20	Effluent	39lbs
CPE55-12	1/2	115	1	Manual	20	Effluent	37lbs
CPEH5-12	1/2	115	1	Manual	20	Effluent	36lbs
CPEH5A-12	1/2	115	1	Auto	20	Effluent	38lbs
CPEH5-22	1/2	230	1	Manual	20	Effluent	36lbs
CPSTEP512	1/2	115	1	Manual	20	Effluent	74lbs
CPSTEP522	1/2	230	1	Manual	20	Effluent	69lbs
CPSTEP1022	1	230	1	Manual	20	Effluent	77lbs
CPSTEP1522	1 1/2	230	1	Manual	20	Effluent	77lbs
CPSTEP2022	2	230	1	Manual	20	Effluent	77lbs
CPG1012	1	115	1	Manual	20	Grinder	81lbs
CPG1022	1	230	1	Manual	20	Grinder	81lbs
CPG2022DS	2	230	1	Manual	20	Grinder	90lbs
CPG2022DSA	2	230	1	Auto	20	Grinder	92lbs




SEWAGE PUMPS

Part Number	HP	Volt	PH	Switch	Cord	Type	Weight
CPEW5-11	1/2	115	1	Manual	10	Sewage	25lbs
CPEW5A-11	1/2	115	1	Auto	10	Sewage	27lbs
CPW4R-12	4/10	115	1	Manual	20	Sewage	40lbs
CPW5-12	1/2	115	1	Manual	20	Sewage	38lbs
CPW5A-12	1/2	115	1	Auto	20	Sewage	40lbs
CPW5-22	1/2	230	1	Manual	20	Sewage	39lbs
CPWH5-12	1/2	115	1	Manual	20	Sewage	40lbs
CPSE512	1/2	115	1	Manual	20	Sewage	79lbs
CPSE522	1/2	230	1	Manual	20	Sewage	77lbs
CPSEF712	3/4	115	1	Manual	20	Sewage	79lbs
CPSEF722	3/4	230	1	Manual	20	Sewage	77lbs
CPSE1022	1	230	1	Manual	20	Sewage	82lbs
CPSE1522	1 1/2	230	1	Manual	20	Sewage	84lbs
CPSE2022	2	230	1	Manual	20	Sewage	85lbs

*Up to 60HP available (non-clog)


SEWAGE FAMILY CURVES



TURBINE EFFLUENT PUMPS

Pump	GPM	TDH	HP	Volt	Phase	Discharge
WTE10051Q	10	165'	1/2	115	1	1 1/4" NPT
WTE10052Q	10	165'	1/2	230	1	1 1/4" NPT
WTE18051Q	20	95'	1/2	115	1	1 1/4" NPT
WTE 25051Q	30	50'	1/2	115	1	1 1/2" NPT
WTE35051Q	30	55'	1/2	115	1	2" NPT
WTE40051Q	50	25'	1/2	115	1	2" NPT

WEBTROL's WTE Turbine Effluent Series pumps are specially designed and manufactured to handle the most demanding wastewater applications. The WTE floating stack design provides exceptional resistance to abrasive damage, extending the life of the pump. Other sizes are also available. Please contact us if your options are not listed here.



STAINLESS STEEL SCREEN



20' SOOW CABLE



STAINLESS STEEL CHECK VALVE

Available upon request.




HORIZONTAL BOOSTER PUMP

Part Number	HP	Volt	PH	Type	Weight
X2G10B12M	1	115	1	Booster	48lbs
XG5B6M	1/2	115	1	Booster	45lbs

*Call for other sizes

SUMP, EFFLUENT, AND GRINDER FAMILY CURVES (JACKEL BRAND)



Part Number	HP	Volt	PH	Switch	Cord	Type	Weight
CIS300V	1/3	120	1	Vertical	10	Sump	23 lb
EFF330CIT	1/3	120	1	Tethered	20	Effluent	24 lb
EFF500CIT	1/2	120	1	Tethered	20	Effluent	24 lb
EFF750CIT	3/4	120	1	Tethered	20	Effluent	43 lb
EFF1000CIT	1	230	1	Tethered	20	Effluent	72 lb
SEW500CIT	1/2	120	1	Tethered	10	Sewage	24 lb
SEW501CIT	1/2	120	1	Tethered	10	Sewage	36 lb
SEW502CIT	1/2	120	1	Tethered	20	Sewage	80 lb
SEW1000CIT	1	120	1	Tethered	20	Sewage	81 lb
GRI1000CIT	1	120	1	Tethered	20	Grinder	81 lb
GRI1001CIT	1	230	1	Tethered	20	Grinder	81 lb
GRI2000CI	2	230	1	Manual	20	Grinder	83 lb





FUJICLEAN ADVANCED SEPTIC TREATMENT SYSTEMS

Design Specifications	CE Series BOD, TSS						CEN Series BOD, TSS, Enhanced TN				
	CE5	CE7	CE10	CE14	CE21	CE30	CEN5	CEN7	CEN10	CEN14	CEN21
Effluent	NSF40 NSF Test Effluent (Avg.) CBOD: 11mg/L, TSS: 12mg/L						NSF40/245 NSF Effluent (Avg.) CBOD: 5mg/L, TSS: 6mg/L TN: 10mg/L				
Hydraulic Load (GPD)	500	700	1,000	1,350	1,900	2,700	500	700	1,000	1,350	1,900

Blower Detail:

Blower Model	80RII	80RII	100RII	150RII	200RII	150RII (x2)	80RII	100RII	150RII	200RII	150RII (x2)
Normal Pressure (kPa)	15	15	18	20	20	20	15	18	20	20	20
Flow Rate: CFM	2.8	2.8	3.5	5.3	7.0	10.6	2.8	3.5	5.3	7.0	10.6
L/Min	80	80	100	150	200	300	80	100	150	200	300
Power Use (kWh/day)	1.2	1.2	1.7	2.7	3.7	5.4	1.2	1.7	2.7	3.7	5.4
Weight	11	11	11	20	20	20 x2	11	11	20	20	20 x2

Tank Detail:

Material	Fiber-Reinforced Plastic						Fiber-Reinforced Plastic				
	CE5	CE7	CE10	CE14	CE21	CE30	CEN5	CEN7	CEN10	CEN14	CEN21
Height (inches)	62	66	74	78	82	88	66	74	78	82	88
Length (inches)	85	96	99	119	153	184	96	99	119	153	184
Width (inches)	44	50	57	69	73	79	50	57	69	73	79
Weight (lbs)	397	463	705	926	1,168	1,543	463	705	926	1,168	1,543
Inlet Invert (inches)	49	53	61	62	65	71	53	61	62	65	71
Outlet Invert (inches)	47	51	59	59.5	63	69	51	59	59.5	63	69
Access Ports (number)	3	3	3	3	3	3	3	3	3	3	3
Access Ports Diameter (inches)	3@20"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"	2@20" 1@24"
Volume Total (gal.)	545	749	1,069	1,498	2,252	3,199	749	1,069	1,498	2,252	3,199

VERTICAL BOOSTER PUMPS


Part Number	HP	Volt	PH	Frame	Type	Weight
NV25B3FE1T	1	230	1	56C	Booster	125lbs
NV12B13FE3T	3	230/460	3	TEFC	Booster	126lbs
NV25B8FE3T	3	230/460	3	TEFC	Booster	85lbs
NV12B25FE3T	5	230/460	3	TEFC	Booster	125lbs

*Call for other sizes, up to 60HP



AIR PUMPS

Part Number	Hertz	Airflow (1/min)	Normal Pressure	Outlet Diameter ID	Outlet Diameter OD	Power Use
MAC40RII	60 Hz	40	1.7PSI	0.511 in. (13 mm.)	0.708 in. (18 mm.)	34W
MAC60RII	60 Hz	60	2.2PSI	0.511 in. (13 mm.)	0.708 in. (18 mm.)	45W
MAC80RII	60 Hz	80	2.2PSI	0.511 in. (13 mm.)	0.708 in. (18 mm.)	54W
MAC100RII	60 Hz	100	2.6PSI	0.511 in. (13 mm.)	0.708 in. (18 mm.)	83W
MAC120RII	60 Hz	120	2.6PSI	0.787 in. (20 mm.)	1.023 in. (26 mm.)	98W
MAC150RII	60 Hz	150	2.9PSI	0.787 in. (20 mm.)	1.023 (26 mm.)	120W
MAC200RII	60 Hz	200	2.9PSI	0.787 in. (20 mm.)	1.023 (26 mm.)	170W



- Engineering design breakthrough make FujiMAC blowers the best choice for energy conservation and economical operation.
- Quietest air diaphragm blower among the four U.S. market leading brands.
- FujiMAC blowers run seven to nine degrees cooler than leading market brands.
- The FujiMAC blower warranty is typically twice that of leading U.S. brands.

- Have been tested for endurance in high and low temperature extremes proving the durability of our diaphragm and other components.
- The diaphragm assemblies are easily replaced and replacement parts are readily available.

REBUILD KIT

Part Numbers:
T-10 (Rebuild Kit)
H508 (Foam Filter)



SELF-CLEANING PUMP VAULTS

STEPROS' patented self-cleaning pump vaults were designed with the maintenance entity in mind. Their two-chambered vaults house both pump and filter and are ideal for single family residential applications as well as for larger commercial flows. The filters remove solids larger than 1/8" from the effluent going to the pump. These vaults include a unique flushing feature that uses filtered effluent to remove any solids that have collected in the filter chamber. Instead of building up on the surface of the filter, solids are flushed back into the tank. This results in filters that need to be cleaned less often or not at all.

AVAILABLE IN 3 SIZES, 45", 54", AND 78"



1. PEX tubing redirects a small flow of effluent from the pump back to the filter chamber to clear any buildup on the filter.
2. Solids are expelled from the filter chamber through the 2" opening.

Part Numbers:
 HFSCV45MF12 (45")
 HFSCV54MF12 (54")
 HFSCV78MF12 (78")



PUMP VAULT FILTER

The STEPROS' pump filter is designed to provide a steady flow of filtered effluent to the pump by removing solids larger than 1/8". This filter works with the brand's self-cleaning vault.



PUMP VAULT DISCHARGE ASSEMBLY

STEPROS pump discharge assemblies include all the necessary plumbing components to convey effluent from a pump to the collection system. It is designed with the maintenance utility in mind to minimize filter cleaning time and maximize functionality of the vault and pump. Custom discharge assemblies are available upon request.

Part Numbers:
 DA05-SCV-10GPM (1" discharge assembly)
 DA125-SCV-30GPM (1.25" discharge assembly)



PUMP VAULT PACKAGES

Part Numbers:
 PV4510 (45" vault, 1" discharge assembly, 10GPM pump)
 PV5410 (54" vault, 1" discharge assembly, 10GPM pump)
 PV4530 (45" vault, 1.25" discharge assembly, 30GPM pump)
 PV5430 (54" vault, 1.25" discharge assembly, 30GPM pump)

Optional panels to include in package:
 50A006 (Simplex Demand Single-Phase Panel, 115/230 V with 3 15' mechanical floats)

More panel options available, see panels page




FILTERS

Item	Description	Components	Qty
PL-68	Offers 68 linear ft. of 1/16" filter slots. For flow rates up to 800 GPD	Filter only PN: PL-68-30130	1-14
			15+
		Housing only PN: PL-68-30142-68	1-7
			8+
		Filter and housing PN: PL-68-30130-68H	1-7
			8+
PL-122	4" filter with housing Filtration: 1/16" For flow rates up to 3,000 GPD	Includes adapter for each filter	1-9
			10+
PL-250	250 linear ft. of 1/16" filtration For flow rates up to 3,000 GPD	Filter only PN: 30141-250	1-9
			10+
		Housing only PN: 30142-250	1-7
			8+
		Filter and housing PN: PL-250	1-7
			8+
PL-525	525 linear ft. of 1/16" filtration For flow rates up to 10,000 GPD	Filter	1
PL-625	625 linear ft. of 1/32" filtration For flow rates up to 10,000 GPD	Filter	1



FILTERS

Item	Description	Components	Qty
A1801 4X18	18" filter Filtration: 1/16" For flow rates up to 800 GPD	Filter only	1-9
			10+
A1801 4X22	22" filter Filtration: 1/16" For flow rates up to 800 GPD	Filter and gas deflector	1-9
			10+
A-100	8 X 18 VC Filtration: 1/16" For flow rates up to 1,200 GPD	Filter with housing	1
A-300	8 X 18 VC Filtration: 1/32" For flow rates up to 1,200 GPD	Filter with housing	1
A-100	12 X 20 VC Filtration: 1/16" For flow rates up to 3,000 GPD	Filter with housing	1
A-300	12 X 20 VC Filtration: 1/32" For flow rates up to 3,000 GPD	Filter with housing	1
A-100	12 X 36 VC Filtration: 1/16" For flow rates up to 10,000 GPD	Filter with housing	1
A-300	12 X 36 VC Filtration: 1/32" For flow rates up to 10,000 GPD	Filter with housing	1
3014-AB	Filter alarm panel and SmartFilter control switch Fits all Zabel filters and PL-122 filters	Panel and switch	1
A1801-HEK	Filter handle that fits 4X18, 4X22, & PL-122 filters	Handle	1
3014-HEK	Filter handle that fits A100, A300, A600m PL-525, & PL-625 filters	Handle	1



D-BOX WITH COVERS


Part Number	Description
3017-12-4	12" D-Box with 12" flat cover and 4 seals
3017-206-C	20" D-Box, 6-Hole with 20" flat cover
3017-207-C	20" D-Box, 7-Hole with 20" flat cover
3017-20-C	20" D-Box, 8-Hole with 20" flat cover
3017-C24	24" D-Box with cover, seals/nuts, screws



20" D-Box with Riser and Cover



12" D-Box
(4 feet and 4
seals included)
3017-12-4



D-BOXES AND NUTS AND SEALS

Part Number	Description
3017-H	12" D-Box
3017-206	20" D-Box, 6-Hole
3017-207	20" D-Box, 7-Hole
3017-20	20" D-Box, 8-Hole
3017-24	24" Rhino D-Box, 10-Hole
3001-SN	4" seal and nut
3001-6	6" seal and nut
PL-HS-513	5 1/8" Holesaw for Rhino D-Box

24" RHINO BOX



SOLID COVERS

Part Number	Description	PLT Qty
3017-C	12" flat cover for risers and D-Boxes	N/A
3004-C	12" flat cover for corrugated pipes	N/A
300415-C	15" flat cover for corrugated pipes	N/A
3007-HDC	18" flat cover for corrugated pipes	100
3009-RC	20" domed cover for risers	100
3017-C20	20" flat cover for risers and D-Boxes	100
3008-RC	24" domed cover for risers	228
3008-HD	24" heavy duty cover for risers and corrugated	150
3008-West	24" flat cover for risers and corrugated pipes	150
3010-C30	30" flat cover for corrugated pipes	25
SR36RL	36" Seal-R Cover for dual-wall riser pipe	N/A



3008-WEST



3004-C

RISERS

Part Number	Description	PLT Qty
3017-R3	12" x 3" Riser	270
3017-R	12" x 6" Riser	135
3009-GR2	20" x 2" Riser	N/A
3009-RP	20" x 3" Riser Pan	132
3009-LPRP	20" x 3" Low Profile Riser Pan	N/A
3009-R	20" x 6" Riser	60
3009-R12	20" x 12" Riser	28
3008-GR2	24" x 2" Riser	N/A
3008-RP	24" x 3" Riser Pan	192
3008-R	24" x 6" Riser	90
3008-R12	24" x 12" Riser	42
3008-R12B	24" x 12" Riser w/ Closed Bottom	N/A
3010-R30	30" x 12" Riser	42



24" X 12" Riser with bottom



24" X 12" Riser



24" X 6" Riser



24" X 2" Riser

CUSTOM BASINS



← **3008-G24**

← **3008-R12**

← **3008-GR2**

← **3008-R12B**

Perfect for installing an effluent filter or pump outside the tank, or just as a drainage well. These watertight basins are made out of High Density Polyethylene so they won't breakdown in the harsh septic environment. Can be customized to any height in 6" increments, beginning with a 14" basin.



WASTEWATER ACCESSORIES



ORIFICE SHIELDS

Part Number	Manufacturer	Size	Box Qty
STF-106-0.75-1.00	SimTech/Anua	3/4" and 1"	100
STF-106-1.25-1.50	SimTech/Anua	1 1/4" and 1 1/2"	100
STF-106-2.00	SimTech/Anua	2"	100
3082	Polylok	1", 1 1/4", 1 1/2"	100
3082-2	Polylok	1", 1 1/2", 2"	100
3080	Polylok	Large orifice diffuser	200
3081	Polylok	Small orifice diffuser	200

EQUALIZERS AND ROTOFLOWS



The equalizer's adjustment knob moves the opening up or down in 1/16" increments; total movement is 7/8. Can be pushed into any 4" pipe, SCH 40, SDR 35, and thin wall. The Roto-Flow helps level the flow from the D-Box.

Part Numbers:
 3049 (equalizer)
 3050-3 (3" Roto-Flow)
 3050-4 (4" Roto-Flow)

BUTYL JOINT SEALANTS



Polylok's Butyl Joint Sealant is designed to fully comply with current ASTM Standards and specifications as required by Federal, State, and Local agencies for use by the precast concrete industry and contractors.

Part Numbers:
 3110-1 (1/2" x 21', 10 pcs.)
 3110-2 (3/4" x 21', 9 pcs.)
 3110-3 (1" x 21', 6 pcs.)

ACTIVATED CARBON COVERS



These odor eliminating covers or activated carbon vents can prevent odor problems by removing offensive odors as they leave the tank.

Part Numbers:
 3007-ACC (18" flat Activated Carbon cover)
 3009-ACC (20" flat Activated Carbon cover)
 3008-ACC (24" flat Activated Carbon cover)

U.V. DISINFECTION UNIT



Your complete solution to meet even the most stringent environmental permit requirements, the PL-UV1 UV Disinfection Unit reduces bacteria levels from secondary effluent to achieve strict water quality standards. The reliability and performance of the PL-UV1 is unmatched for onsite and decentralized treatment applications. Every component of the compact unit is highly engineered and constructed to provide reliable disinfection and superior operational life.

Part Numbers:
 AT-1500
 AT-1500-BULB

PRO-GRADE ADHESIVE

The PL-E6100 is an industrial adhesive formulated to meet high-performance requirements. It permanently adheres to more surfaces than virtually any other adhesive, providing exceptional adhesion to wood, metal, glass fiberglass, ceramics, masonry, concrete, asphalt, leather, rubber, PVC, neoprene, vinyl and many plastics.

PN: PL-E6100





D-BOX SEALS

PN: 3001 (4")
 PN: 3001-SN (4" w/ nuts)
 PN: 3001-6 (6" w/ nuts)

These D-Box seals are the only true watertight seals on the market today. The 4" seal fits in both the 12" and 20" plastic D-Box. It accepts 2", 3" 4", and corrugated pipe. The 6" seal works in 20" D-Box.

Poly - I Poly - II

PIPE SEALS



PN: 3000 (black)
 PN: 3002 (red)
 Box Qty: 240 black
 Box Qty: 200 red

Eliminate grouting around the pipe. Quick and easy conversion to any existing form. These pipe seals can be used in any application.



MANDRELS

PN: 3004-OE (4")
 PN: 3004-MAG (4")
 PN: 3006-MAG (2")

Please note that the MAG at the end of part number classifies it as magnetic. The 3004-OE are made for Poly 4" open and closed end boot seals. The magnetic mandrels allow for an easy mount to your forms without any drilling. Can fit every size seal, contact us if you need mandrels for Poly I-VI seals.



COMPRESSION SEALS

PN: 3002-CS

The 4" compression seal ensures a watertight connection. It's easy to install and works on 4" SCH 40 and SDR 35 pipe.



EXTEND & LOKS

PN: 30131-TL (3")
 PN: 30130-TL (4")
 PN: 30132-TL (6")

Extend & Lok™ is a simple, easy to use solution that can extend the inlet or outlet pipe and make filter and/or baffle installation a snap. They are now available to fit 3", 4", & 6" pipe.



2" CLOSED END BOOT SEALS

PN: 3006-CE
 Box Qty: 25

Made of durable EPDM rubber, this flexible pipe-to-concrete connector meets or exceeds all ASTM 1227 and 923 requirements as well as Grease Interceptor specifications. Using this boot ensures watertight connections.



POLY-III CLOSED END BOOT SEALS

PN: 3003-B

The first and only patented High Pressure Closed Ended Boot Seal on the market. The Poly III makes it easy to vacuum because there are no openings to plug. It accepts either 3" or 4" pipe. It also meets ASTM C-923 specifications and can fit in a 2 1/2" - 6" wall.



POLY-IV OPEN END BOOT SEALS

PN: 3003-OE
 Box Qty: 25
 PLT Qty: 450

This seal meets or exceeds all requirements of the following standards, codes, specifications, and/or test methods: ASTM C-1227, ASTM C-1644, ASTM C-923, ASTM C-1244, NPCA Best Practices, NOWRA Model Code.



POLY-IV CLOSED END BOOT SEALS

PN: 3003-CE
 Box Qty: 25

This is the best seal on the market today for vacuum testing and water testing tanks. It is designed with a closed ended, so it is no longer necessary to plug seal holes before testing. And, it's easy to cut the seal at the installation site.



POLY-VI CLOSED END BOOT SEALS

PN: 3005-CE
 Box Qty: 25

This is the only patented closed end seal on the market. The Poly-VI makes it easy to vacuum test because there are no openings to plug. It accepts either 4" or 6" pipe. It also meets ASTM C-923 specifications and can fit in a 3" - 6.5" wall.

RISER AND PIPE ADAPTERS

Part Number	Description
3009-AR30	24" Riser to Riser Adapter - 30" Outer Diameter
3009-RTR20	20" Riser to Riser Adapter for Polylok Risers
3009-ARF	20"/24" riser adapter ring for Roth/Fralo 30" tanks
3009-RTR24	24" riser to riser adapter for Polylok risers and new infiltrator tanks
3009-KIT	Adapter Ring Installation Kit (8 anchor bolts, 1 drill bit, foam gasket)

RIBBED PIPE ADAPTERS



3009-ARC

Part Number	Description
3009-ARC	24" Adapter ring. Fits 24" ribbed pipe.
3007-ARC	18" Adapter ring. Fits 18" ribbed pipe.
3017-ARC	12" Adapter ring. Fits 12" ribbed pipe.



3017-ARC

ADAPTER RINGS FOR POLYLOK RISERS



3009-AR

Part Number	Description
3009-AR	20-24" Adapter Ring, Fits 20" and 24" Polylok Risers
3017-AR12	12" Adapter Ring, fits 12" Polylok Risers

OTHER ADAPTERS



Polylok's 24" IPEX to 24" IPEX pipe adapter accepts 24" IPEX pipe. Our adapter rings are ideal for retrofitting existing septic tanks, and can be secured with ease. Our adapter rings is made of virgin high density polyethylene.

PN: PL-24IPA



This cast-in tank adapter ring is ideal for casting into concrete tanks to accept 24" IPEX pipe.

PN: PL-24IPA-CI



This tank adapter was designed to be bolted to tanks and provide a seamless connection to 24" IPEX pipe. The 24" IPEX bolt-down adapter ring will not only create a tight connection to 24" IPEX pipe but will also accept 24" corrugated pipe making it a versatile choice for retrofitting new and existing tanks. Our 24" IPEX bolt-down tank adapter ring is made of ABS plastic.

PN: PL-24IPA-BD

SAFETY SCREENS



The white screens can be utilized on PVC Ribbed Pipe, HDPE Corrugated, and Concrete Risers. These heavy-duty ABS screens act as a secondary layer of protection if the riser cover is unknowingly damaged, removed, or not put back on. The bright yellow screens are made to fit the upper most riser stacks of 24" Polylok risers. Both screens have been tested to 250 lbs.

Part Numbers:

- 3008-SS (Yellow 24" Polylok Riser Screen)
- 3008-SSPIPE (White Universal Kid Catcher)

FLOW CONTROLLERS



Ideal for alternating or dividing flows between two separate fields. Easily installs by attaching directly to SCH 40 or SDR 35. Unique channel split design enables an equal split of the waste stream. Also, the valve can be set for equal distribution (factory setting), or all distribution to the right or left.

Part Numbers:

- 3051
- Box Qty: 5
- 3051-HK (handle)



CORD GROMMETS

Part Number	Description
Grom11-0	2" No Holes
Grom11-1	2" 1 Hole
Grom11-2	2" 2 Holes
Grom11-3	2" 3 Holes
Grom13-0	2.5" No Holes
Grom13-1	2.5" 1 Hole
Grom13-2	2.5" 2 Hole

GROMMETS



Part Number	Description
3007-GM.50	1/2" Grommet
3007-GM.75	3/4" Grommet
3007-GM1	1" Grommet
3007-GM125	1 1/4" Grommet
3007-GM150	1 1/2" Grommet
3007-GM2	2" Grommet
3007-GM3	3" Grommet
3007-GM435	4" Grommet, SDR 35
3007-GM440	4" Grommet SCHED40
3007-GM635	6" Grommet SDR35
3007-GM640	6" Grommet SCHED40

POLY-AIRS



Polylok's Poly-Air is an activated carbon vent that removes offensive odors, such as hydrogen sulfide, as they come out of the roof vent. The PC-PLVF-6 holds 5 lbs. of carbon.

Part Numbers:

- PN: PCF-PLVF (3" and 4")
- Box Qty: 10
- PN: PCF-PLVF-6 (6")

PIPE REDUCERS



This pipe reducer allows you to connect 2" SCH 40 pipe to a 3" SCH 40 socket.

PN: PCF-PLVF-RD2

CATCH BASINS

Part Number	Description	PLT Qty
3017-12-CG-2	12" D-Box with 12" grate and 2 seals	117
3017-206-G	20" D-Box, 6-Hole with 20" grate	N/A
3017-207-G	20" D-Box, 7-Hole with 20" grate	N/A
3017-20-G	20" D-Box, 8-Hole with 20" grate	N/A
3008-CU59G	24"X5' Catch Basin	4



24" Rhino Drainage D-Box with 24" Grate



20" Drainage Box with 20" Grate



12" Catch Basin (2 seals and 4 feet included) 3017-12-CG-2

GRATE COVERS

Part Number	Description
PDB-3G-GN	Green 3" Pipe Grate (black available)
PDB-4G-GN	Green 4" Pipe Grate (black available)
PDB-6G-GN	Green 6" Pipe Grate (black available)
PDB-6SPG-GN	Green 6" Square Pipe Grate (black available)
PDB-8G-GN	Green 8" Pipe Grate (black available)
PDB-9SPG-GN	Green 9" Square Pipe Grate (black available)
PDB-10G-GN	Green 10" Pipe Grate (black available)
3017-GE	12" grate for risers and D-Boxes
3004-GR-GN	12" grate for corrugated pipes
300415-GR	15" grate for corrugated pipes
3007-HDG	18" heavy duty grate for corrugated pipes
3017-G20	20" grate for risers and D-Boxes
3008-G24	24" heavy duty grate for risers and corrugated pipes




DRAIN WELL KIT

The 24" Drain Well Kit is used to collect, retain, and discharge storm water. It allows the flexibility to choose your inlet and leaching locations. Its cover allows for a 4" surface drain and is equipped with two recessed handles for easy removal.

PN: 3008-DWK



20" Grate on a 20 x 12" Riser




Pipe Grate

SQUARE CATCH BASINS

Part Number	Description
PDB-9KIT-GN	9X9" D-Box with Grate and 2 Seals (black grate available)
PDB-12KIT-GN	12X12" D-Box with Grate and 2 Seals (black grate available)
PDB-12R	12" x 12" x 6" Riser
PDB-9AG-GN	Green 9 x 9" Atrium Grate (black available)
PDB-12AG-GN	Green 12 x 12" Atrium Grate (black available)



PDB-12R



PDB-12KIT

PDB-9KIT

OTHER DRAINAGE ACCESSORIES



4" CORRUGATED TO CORRUGATED

PN: PL-IT4X4CC



4" CORRUGATED TO 4" SDR35


PN: PL-90860-V44



3" CORRUGATED TO 4" SDR35

PN: PL-90860-V43

DOWNSPOUT ADAPTERS



4" AND 6" CORRUGATED PIPE ADAPTERS

PN: PL-IT44CC (4")
PN: PL-IT66CC (6")



4" ATRIUM GRATE

PN: PAG-4T




4" FLOW GATE

PN: PDB-4PE

TRENCH DRAINS

ACCESSORIES



TRENCH DRAIN TEE

Part #: PL-90860-TG

● Available in black



90° ELBOW

Part #: PL-90860-90G

● Available in black




DUCTILE 90° ELBOW

Part #: PL-90860-90-DIG



DUCTILE TEE

Part #: PL-90860-T-DIG



CLOSED END CAP

Part #: PL-90860-CEG

● Available in black

48" TRENCH DRAIN

- All outlet ports accept 3" SCHD 40 pipe, 4" SDR 35 pipe & 4" SCHD 40 pipe
- Grates are reversible from a flat side to a 3/16" convex side
- Trench drain & grate come in 48" (4ft) sections that can be cut down to 12", 24", & 36"
- Two #8 screws are used to interlock ends together
- Outside holes accept #4 rebar for fast positioning
- ADA Compliant
- Grate is H-20 rated

Part Numbers:

PL-90860-G (Grey 4ft. Trench Drain, single)

Pallet: 77 trench drains, 308ft. total with prepaid freight

PL-90860-B (Black 4ft. Trench Drain, single)

Pallet: 77 trench drains, 308ft. total with prepaid freight



BLACK DUCTILE GRATE TRENCH DRAIN

- Comes with all stainless steel hardware
- Easily installed and removed with one bolt
- 47 sq. in. of open area
- Rust resistant
- Load Class C
- Application: Heavy Duty/Commercial
- Application proof load: 310 psi
- Typical application standard: A-A6005

Part Numbers:

PL-90860-CI (Black Ductile 4ft. Trench Drain, single)

Pallet: 49 trench drains, 196ft. total



48" SKINNY TRENCH DRAIN

- The new Polylok 48" skinny trench drain offers many of the same features that our regular ones does but in a slim, compact design
- ADA Compliant

Part Numbers:

PL-90861-G (Grey 4ft. Skinny Trench Drain, single)

Pallet: 110 trench drains, 440ft. total with prepaid freight

PL-90861-B (Black 4ft. Skinny Trench Drain, single)

Pallet: 110 trench drains, 440ft. total with prepaid freight



SKINNY TRENCH DRAIN ACCESSORIES



OPEN OUTLET END CAP

Part #: PL-90860-OEG

● Available in black



OPEN OUTLET END CAP

Part #: PL-90861-OEG

● Available in black



CLOSED END CAP

Part #: PL-90861-CEG

● Available in black



90° ELBOWS

Part #: PL-90861-90G

● Available in black



2" ATRIUM GRATE

Part #: PAG-2T

CHECK VALVES

SUMP PUMP

Part Number	Size	Picture
H-150MT	1 1/2"	
CH-150S	1 1/4" or 1 1/2"	
CH-150S-150MT	1 1/2"	
DJ-545	1 1/4" or 1 1/2"	

SEWAGE

Part Number	Size	Picture
CUCV-1.5W Solvent Weld True Union	1.5"	
CUCV-2C Compression True Union	2"	
CUCV-2W Solvent Weld True Union	2"	
2-GP	2"	

RADON/SUMP DOME COVER

The Original Radon/Sump Dome, made of polyethylene structural foam, is designed to cover an existing basin, providing a new heavy duty cover to seal the basin against Radon Gas on odors; to provide adequate safety. There is no reason to dig up your basement or garage floor to remove the existing sump or sewage basin. Simply remove the old cover and install this cover over the opening, to create a new, completely sealed system. The inner diameter is 24" and the outer diameter is 28".

Part Numbers:
SMR16101
SMR16101-CV (with clear view)



SUMP BASIN COVERS

18.5" DIAMETER




For use with SF15 basins

Part Numbers:

- SF1850B (blank cover, no holes)
- SF1850E (w/ discharge and vent openings)
- SF1850S (slotted opening)

SEWAGE BASIN COVERS

20.5" DIAMETER



For use with SF20, SF22, and SF30PR basins

Part Numbers:

- SF16101 (w/ discharge and vent openings)
- SF16101-B (blank cover, no holes)
- STL114 (steel, w/ discharge and vent openings)

20.5" DIAMETER



For use with SF20 and SF22 basins

Part Numbers:

- SF22B (blank cover, no holes)
- SF44 (w/ discharge and vent openings)
- STL44 (steel, w/ discharge and vent openings)

24" DIAMETER



For use with any of the 24" basins

Part Numbers:

- SF24B-BL (black solid cover, no holes)
- SF24B-GR (green solid cover, no holes)
- SF24S-BL (w/ discharge and vent openings)

RISER COVERS



Part Numbers:


- SFRC-12G (12")
- SFRC-18G (18")
- SFRC-24G (24")
- SFDC-24B (24" Drainage Cover)
- SR36RL (36")

The riser covers and the drainage covers are constructed of injection molded polyethylene structural foam. They're designed to support up to 2,000 lbs. All come with replaceable water tight seals. Adapts up to 24" PVC, single and double wall polyethylene riser pipes. Stainless steel screws included. For custom logos on the riser covers, please contact us.

BASIN PACKAGES


Components	Specifications	Picture
<ul style="list-style-type: none"> SF15 - basin or SF15DR - drilled basin SF1850B - blank cover 	<p>Size: 18.5" x 17.5" Capacity: 15gal.</p>	
<ul style="list-style-type: none"> SF20 - basin SF22B - blank cover 	<p>Size: 18" x 22" Capacity: 20gal.</p>	
<ul style="list-style-type: none"> SF22A - basin SF22B - blank cover 	<p>Size: 18.5" x 24" Capacity: 22.5gal.</p>	
<ul style="list-style-type: none"> SF30PR - basin SF16101 - HD Cover with 2" vent and discharge SIH4 - 4" snap-in inlet hub 	<p>Size: 18" x 30" Capacity: 30gal.</p>	
<ul style="list-style-type: none"> SF24X36 - basin SF24B-GR - blank cover E4STND-5H - rubber inlet hub 4" 	<p>Size: 24" x 36" Capacity: 72gal.</p>	
<ul style="list-style-type: none"> SF30X36 - basin JC30FB - fiberglass blank cover E4STND-5H - rubber inlet hub 4" 	<p>Size: 30" x 36" Capacity: 110gal.</p>	

UTILITY PUMP SYSTEM SUM250ALV




Part Number: [SUM250ALV-06-P](#)
120V, PSC motor type, S1 Continuous, lip shaft seal, upper and lower ball motor bearing, 1-1/2" NPT discharge, 10ft cord, cast aluminum motor housing, thermoplastic volute, vertical switch, 1/4" solids handling

SUMP PUMP SYSTEM SUM330CIS





Part Number: [SUM330CIS-22-16314-P](#)
120V, PSC motor type, S1 Continuous, mechanical shaft seal, upper and lower ball motor bearing, 1-1/2" NPT discharge, 10ft cord, cast iron motor housing, thermoplastic volute, snap-action vertical switch, 1/2" solids handling

SEWAGE PUMP SYSTEM SEW500CIV



Part Number: [SEW500CIV-45-24S-P](#)
120V, PSC motor type, S1 Continuous, mechanical shaft seal, upper and lower ball motor bearing, 2" NPT discharge, 10ft cord, cast iron motor housing and volute, vertical switch, 2" solids handling

SEWAGE PUMP SYSTEM SEW501CIT



Part Number: [SEW501CIT-45-24S-P](#)
120V, PSC motor type, S1 Continuous, mechanical shaft seal, upper and lower ball motor bearing, 2" NPT discharge, 10ft cord, cast iron motor housing and volute, wide angle tethered switch, 2" solids handling

FIBERGLASS BASINS

Part Number	Size	Anti-Float	Cover
FWB24X48	94gal.	No	SF24B-GR
FWB24X60FGAF	118gal.	Yes	SF24B-GR
FWB24X72FGAF	141gal.	Yes	SF24B-GR
FWB36X48	212gal.	No	JC36FB
FWB36X60FGAF	264gal.	Yes	JC36FB
FWB36X72FGAF	317gal.	Yes	JC36FB

*Other options available. Call for more information on pricing and sizes. Subject to stock on hand.



RAIL PACKAGES



Jackel Universal Guide Rail Packages make the installation and service of grinder, sewage and effluent pumps safer and easier. Simply slide pump assembly down guide rail system and connect plumbing and electrical service. The system is ready to go! Simplex, Duplex or Triplex configurations are available. The system is corrosion free with stainless steel and PVC components. All stainless steel piping on pump slide. All stainless steel hardware. Epoxy coated cast iron ball valve comes standard. Also, the check valve is on the pump slide for easy maintenance.

Standard Package includes:

- Fiberglass basin
- Basin cover
- Stainless steel guide rails
- Floats
- Control panel
- Junction box
- Inlet fittings
- Outlet fittings


Call for pricing

PUMP SCREENS

- 1/8" perforated polypropylene
- Built-in float tree bracket
- "J" hook wire organizer
- High strength construction
- Unit weighs less than 16 pounds
- Base accepts concrete for extra weight
- 2" raised bottom
- 13.5" inside diameter
- 15.5" outside diameter
- Over 850 square inches of open area
- Over 69,000 1/8" round holes

Part Numbers:

- STF-1548P125 (15X48" pump screen)
- STF-1554P125 (15X54" pump screen)
- STF-110 (yellow 4" bristle filter)
- STF-110-6W (white 6" bristle filter)



Float Tree Bracket
accepts 1-1/4" or 1-1/2" PVC pipe

"J" Hook
wire organizer



PUMP DUTY - MECHANICAL FLOATS

Part Number	Pump	Type	Plug	Amps	Cord	Voltage
20A001-E	↓	Standard-Duty Mechanical	No	13	10 ft.	120/240
20A002-E	↓	Standard-Duty Mechanical	Yes	13	10 ft.	120
20A005-E	↑	Standard-Duty Tank Fill Mechanical	Yes	13	10 ft.	120
20A007-E	↓	Standard-Duty Mechanical	No	13	15 ft.	120/240
20A008-E	↓	Standard-Duty Mechanical	Yes	13	15 ft.	120
20A019-E	↓	Standard-Duty Mechanical	No	13	30 ft.	120/240
20A115-E	↓	Heavy-Duty Mechanical	Yes	15	20 ft.	240
20A301-E	↓	High-Amp Mechanical	No	25	10 ft.	120/240
20A303-E	↓	High-Amp Mechanical	No	25	20 ft.	120/240

Pump Down



Pump Up



PUMP DUTY - MERCURY FLOATS

Part Number	Pump	Type	Plug	Amps	Cord	Voltage
20A401	↓	Mercury	No	13	10 ft.	120/240
20A402	↓	Mercury	Yes	13	10 ft.	120



DOUBLE HEAVY DUTY FLOATS

Part Number	Pump	Type	Plug	Amps	Cord	Voltage
20A501-MECH	↓	Double HD Mechanical	No	15	15 ft.	120



VERTICAL MECHANICAL FLOATS

Part Number	Pump	Type	Plug	Amps	Cord	Voltage
20A201	↓	Vertical Mechanical	Yes	10	10 ft.	120
20A205	↓	Vertical Mechanical	Yes	10	20 ft.	120



CONTROL DUTY - MECHANICAL

Part Number	Pump	Type	Pipe Clamp	Amps	Cord	Voltage
20A601-E	↓	Control-Duty Mechanical	Yes	5	10 ft.	120/240
20A605-E	↓	Control-Duty Mechanical	Yes	5	15 ft.	120/240
20A613-E	↓	Control-Duty Mechanical	Yes	5	30 ft.	120/240



CONTROL DUTY - MERCURY FLOATS

Part Number	Pump	Type	Pipe Clamp	Amps	Cord	Voltage
20A703	↑	Mercury	Yes	5	10 ft.	120/240
20A705	↓	Mercury	Yes	5	15 ft.	120/240
20A709	↓	Mercury	Yes	5	20 ft.	120/240
20B701-SB	↓	Mercury	No	3	10 ft.	120/240



FLOAT ACCESSORIES



FLOAT CLIP
Part #: 60A408



SST CLAMP
Part #: 60A404



WEIGHT
Part #: 60A400

ALARMS

Part Number	Model	Supply Voltage	Additional Information	NEMA Rating
10A306	SMD-31H-PC Observer 300	120	Indoor alarm with audible and visual alarm; 15 ft. mercury alarm float; 6 ft. power cord; SST pipe clamp; quick snap terminal connections (High Level)	1
10A405	SMD-41H-PC Observe 400	120	Indoor/outdoor alarm with large light, audible horn, 15 ft. mercury float, and auxiliary dry contacts (High Level)	3R



JUNCTION BOXES


Part Number	Cord Grip	Cord Qty	Additional Information	NEMA Rating
AC-JSB-2-EXP	1/2 in.	2	Three hub explosion proof junction box with 2 cord grips	7
10A700	N/A	N/A	Box only - 3.5" X 5.5" X 4" Simplex No cord grips or hub installed	4X
10A729	1/2 in.	4	Simplex - 3.5" X 5.5" X 4" 1" conduit hub	4X
10A734	1/2 in.	3	Simplex - 3.5" X 5.5" X 4" 1" conduit hub	4X
10A780	1/2 in.	2	Simplex - 3.5" X 5.5" X 4"	4X
10A782	1/2 in.	5	Simplex - 3.5" X 5.5" X 4"	4X




PANELS

Operation	Part Number and Description	Floats Qty	Supply Voltage
Simplex Control	50A006 (20FLA, single phase, 2 HP max, 3 Amps fuse, NEMA 4X)	3	120/240
BIO Simplex Demand	50B135-EFCA (0-15FLA range, with air switch)	0	120
Simplex Control	50B229-UV (ultra-violet, separate alarm and ballast breakers, built-in alarm circuit, run-mute-test toggle switch)	0	120
Simplex Time-Dosed	50A801 (20FLA, single phase, 1 HP max, NEMA 4X)	3	120
Simplex Time-Dosed	50A806 (20FLA, single phase, 2 HP max, NEMA 4X)	3	120/240
Simplex Time-Dosed	50A808 (18FLA, single phase, 2 HP max, NEMA 4X, with smart relay)	3	120
Duplex Control	50A501-C20-M20-MEF (20FLA, single phase, 2 HP max, NEMA 4X)	4	120
Duplex Control	50A506-C20 (20FLA, single phase, 2 HP max, NEMA 4X)	3	120/240


Duplex Control
PN: 50A506




Time-Dosed Panel
PN: 50A801



Simplex Control
PN: 50A006



Time-Dosed Panel
PN: 50A808



PUSH-ON REBAR CHAIRS



Part Number	Box Qty/PLT Qty
3053 (7/8")	2,000/24
3052 (1")	2,000/24
3052-LC (1")	1,500/20
30542 (1 1/2")	700/20
30552 (2")	400/20
30562 (3")	175/20

ROUND BASE REBAR SPACERS



Part Number	Box Qty/PLT Qty
3059-RC1 (1 1/2" - 2")	250/36
3059-RC2 (2 1/2" - 3")	250/36
3059-RC3 (3 1/2" - 4")	160/32
3059-RC5 (5" - 5 1/2")	160/28

LOCKING WHEEL CHAIRS



Part Number	Box Qty/PLT Qty
3052-LOK (1")	1,250/24
30541 (1 1/2")	500/20
30551 (2")	250/20
3056 (3")	125/20

MESH CHAIRS



Part Number	Box Qty/PLT Qty
3060-TMC100 (1")	500/84
3060-TMC150 (1 1/2")	500/60
3060-TMC200 (2")	500/84
3060-TMC300 (3")	500/60

SLAB BOLSTERS



Part Number	Box Qty/PLT Qty
3063-L1 (1")	135/22
3063-L15 (1 1/2")	105/22
3063-L2 (2")	85/22
3063-L3 (3")	72/22
3063-L4 (4")	32/22
3063-L5 (5")	27/22

CABLE LIFT LOOPS



Part Number	Box Qty
3200-LL.8T (.8 Ton)	700
3205-LL1.2T (1.2 Ton)	700
3210-LL1.6T (1.6 Ton)	700
3215-LL2.5T (2.5 Ton)	700
3220-LL3.8T (3.8 Ton)	700

X-CHAIRS



Part Number	Box Qty/PLT Qty
3061-RCX05 (1/2")	2,000/60
3061-RCX075 (3/4")	1,500/60
3061-RCX10 (1")	700/60
3061-RCX15 (1 1/2")	600/54
3061-RCX20 (2")	400/54

PYRAMID WIRE CLIPS



Part Number	Box Qty
3057-75 (3/4")	2,000
3057-1 (1")	2,000
3057-15 (1 1/2")	1,500
3057-2 (2")	1,300

STACKABLE CHAIRS



Part Number	Box Qty/PLT Qty
3058-SC (1 1/2" - 2")	200/20
3059-SC (2 1/2" - 3")	150/20

BEARING PADS

These bearing pads has a weight load rating of 5 tons per section. They can be made as small as 3" X 3" by separating from a 16" X 21" spacer. They minimize surface contact area with finished products. The material is made from HDPE in a natural color to avoid marking concrete.

Part Numbers:
3065 (40 units per case, 20 cases per pallet)



BEAM BOLSTERS

Part Number	Total ft/Case
3062-1 (1X44")	642ft.
3062-15 (1 1/2X44")	422ft.
3062-2 (2X44")	257ft.
3062-25 (2 1/2X44")	195ft.
3062-3 (3X44")	150ft.



DECORATIVE ROCKS

Part Number	Dimension	Weight
101-RB	31"X26"X21"	8lbs
105-RB	24"X12"X12.5"	2.5lbs
106-RB	19"X14"X12"	2.5lbs
109-RB	30"X23"X18"	4lbs
110-RB	39"X21"X21"	10lbs
111-RB	34"X32"X15"	12lbs
112-RB	36"X36"X9"	12lbs
115-RB	24"X20"X24"	8lbs
118-RB	32"X32"X11"	9lbs
119-RB	31"X28"X11"	8lbs
120-RB	27"X25"X45"	18lbs



112-RB



105-RB



120-RB

Includes prepaid freight when bought by the qty listed.

CONCRETE ACCESSORIES

Part Number	Name	Size	Qty/Box
30245	Rebar End Spacer	#3-#6 Bar	300
30245-F	Rebar Scratch Cap	#3-#6 Bar	300
3024	Rebar Cap	#3-#8 Bar	100
3024-OSG-SG	OSHA Rebar Cap	#3-#8 Bar	100
3024-OSG-SG2	OSHA Rebar Cap	#9-#19 Bar	50
3066	Corner Guard	4" Strap	100
3100	Alum. Form Hammer	5 lb.	1

Non-OSHA OSHA





The Roth MultiTank® is the first tank of its kind. It can be used for water cistern, pump, holding, rainwater, or septic tank. This is possible due to its special construction of an inner layer of FDA approved virgin HDPE, two inside layers of PE for improved stability, plus one outer layer of black and UV-stabilized PE. Not only is it special in terms of its construction, but it also has the best warranty the industry has to offer: lifetime corrosion protection and 5 years of labor insurance coverage (see warranty for more details).

- Versatile – can be used for water cistern, pump, holding, rainwater or septic tank
- Low-profile: Less digging, avoid high-water table
- Lightweight vs. concrete: Installers can handle without special equipment
- Heavyweight vs. poly: Strongest tank on the market
- 2 – 24” manways: Easy access for maintenance and service
- Dual-purpose: Use as a septic, pump, holding or rainwater collection tank
- Cylindrical shape: Absolutely no water required for backfill, saves time
- Threaded riser system: Easy installation, no screws or assembly



All RMT tank models are manufactured in compliance with the requirements of the current CSA and IAPMO standards.

RMT500-1500 tank models are manufactured with FDA resins listed with NSF and comply to the NSF 61 standard.





Description	Part #	Design Capacity US Gallons (Liters)	Total Capacity US Gallons (Liters)	Height Inches (mm)	Width Inches (mm)	Length Inches (mm)	Weight Pounds (kg)
300 Gal., 1 compartment	RMT-300-1**	300 (1136)	325 (1230)	54" (1372)	45" (1143)	50" (1270)	120 (54.43)
300 Gal., 1 compartment	RMT-300-1P**						
500 Gal., 1 compartment	RMT-500-1	500 (1893)	535 (2025)	51" (1295)	62" (1575)	60" (1524)	225 (102.06)
500 Gal., 1 compartment	RMT-500-1P						
750 Gal., 1 compartment	RMT-750-1	750 (2840)	1000 (3785)	51" (1295)	62" (1575)	103" (2616)	360 (163.29)
750 Gal., 1 compartment	RMT-750-1P						
750 Gal., 2 compartments	RMT-750-2	750 (2840)	1000 (3785)	51" (1295)	62" (1575)	103" (2616)	360 (163.29)
750 Gal., 2 compartments	RMT-750-2P						
1000 Gal., 1 compartment	RMT-1000E-1	1000 (3785)	1147 (4341)	51" (1295)	62" (1575)	118" (2997)	450 (204.12)
1000 Gal., 1 compartment	RMT-1000E-1P						
1000 Gal., 2 compartment	RMT-1000E-2	1000 (3785)	1147 (4341)	51" (1295)	62" (1575)	118" (2997)	450 (204.12)
1000 Gal., 2 compartment	RMT-1000E-2P						
1060 Gal., 1 compartment	RMT-1060-1	1060 (4012)	1337 (5061)	51" (1295)	62" (1575)	133" (3378)	520 (235.87)
1060 Gal., 1 compartment	RMT-1060-1P						
1060 Gal., 2 compartment	RMT-1060-2	1060 (4012)	1337 (5061)	51" (1295)	62" (1575)	133" (3378)	520 (235.87)
1060 Gal., 2 compartment	RMT-1060-2P						
1250 Gal., 1 compartment	RMT-1250-1	1250 (4730)	1469 (5560)	51" (1295)	62" (1575)	148" (3759)	560 (254.01)
1250 Gal., 1 compartment	RMT-1250-1P						
1250 Gal., 2 compartment	RMT-1250-2	1250 (4730)	1469 (5560)	51" (1295)	62" (1575)	148" (3759)	560 (254.01)
1250 Gal., 2 compartment	RMT-1250-2P						
1500 Gal., 1 compartment	RMT-1500-1	1500 (5678)	1771 (6703)	51" (1295)	62" (1575)	177" (4496)	640 (290.30)
1500 Gal., 1 compartment	RMT-1500-1p						
1500 Gal., 2 compartment	RMT-1500-2	1500 (5678)	1771 (6703)	51" (1295)	62" (1575)	177" (4496)	640 (290.30)
1500 Gal., 2 compartment	RMT-1500-2p						

* Part # with a "P" includes plumbing

Our primary goal at RepCo Sales Agency is to represent our vendors to the best of our ability to the wholesale trade focusing on the onsite industries for the Pacific Northwest and create a profitable relationship for our manufacturers, wholesalers, and contractors. We inventory as much as possible since most of our manufacturers are on the east coast. Savings to our customers has been considerable having a warehouse in the Pacific Northwest. While we strive to have everything here, it doesn't always happen. We aim for accurate and prompt shipments with most orders shipped the same day as received. **Pricing is subject to stock on hand and changes are at the discretion of our manufacturers.** This pricing guide represents most of the products we normally stock. Thank you for allowing us to be of service to you!




Larry O'Connor

Larry O'Connor has been involved in the water and wastewater industry for several decades. He has worked for two of the leading pump manufacturers and has experience with industrial, municipal, water well, environmental, as well as wastewater products.

Lead Sales Agent

Cell: (503) 720-7186

Larry@repcosalesagency.com



James O'Connor

James is the warehouse manager responsible for all incoming and outgoing shipments as well as inside/outside sales and deliveries. James also works our tradeshow as long as they don't conflict with skiing or opening day baseball.

Operations Manager

Cell: (503) 703-8180

James@repcosalesagency.com

CONTACT US



OFFICE PHONE:
(503) 663 - 0618



OFFICE E-MAIL:
sales@repcosalesagency.com



SHIPPING ADDRESS:
6341 SE 302nd Ave
Gresham, OR 97080



OFFICE FAX:
(503) 663 - 4687



WEBSITE:
www.repcosalesagency.com



BILLING ADDRESS:
2177 SE Douglas Place
Gresham, OR 97080

RepCo

SALES AGENCY

Phone: (503)-663-0618
 Web: www.repcosalesagency.com
 Email: sales@repcosalesagency.com

Champion Pump



- Effluent Pumps
- Sewage Pumps
- Grinder Pumps

JACKEL



- Check Valves
- Sump Basins
- Sump Basins and pumps
- Slide Rail Assemblies
- Septic Lids

FUJIMAC

- Air Pumps



POLYLOK



- Precast Products
- Septic Filters
- Risers & Lids
- Drainage Products

Roth

- Septic Tanks



SPI

SEPTIC PRODUCTS INC



- Alarms
- Floats
- Pump Panels




STEPROS



- Self Cleaning Pump Vaults

FujiClean USA

Toward Clean Water...



- Septic Treatment System

WEBTROL



- Turbine Effluent Pumps